



CL LIGHTING

24V Dual Mode 433 Dream Color Outdoor Permanent Light

24V Dual Mode 433 Dream Color Outdoor Permanent Light




Product Function

- Private mode optical lens design, wall washing contour light
- Using high brightness LED lamp beads, can be used for outdoor lighting
- Using PC material to deal with light guide, large luminous angle
- WIFI + Bluetooth dual-mode communication, APP and remote operation
- Support 433 remote control, one key control within 20m distance.
- RGB 16 million colours, even and soft light, phantom light.
- 20 scenarios, colour, brightness, music mode selectable
- Support timing, countdown, sharing and memory functions.
- The product is suitable for any wall, floor installation, a light for two purposes
- Waterproof interface, potting package, IP67 waterproof for indoor and outdoor use.
- Support Alexa, Google Assistant and other third-party voice operation.



App Function

- ① Plugged in, the light comes on and enters flash distribution mode
- ② Open WiFi and Bluetooth and Tuya App, add the device or search for the device, set the number of light bodies after successful mating, and then enter the App page to operate




Instructions of remote

1	ON	ON
2	OFF	OFF
3	☀	Brightness Increase
4	⚙	Brightness Reduction
5	+	Speed Up
6	-	Speed Down
7	Static Color	Red→Green→Blue Yellow→Warmwhite Cyan→Orange→Purple
8	Multi	8 colors fixed
9	Random	8 colors flash randomly
10	Strobe	Switchable & random mode with background color
11	Breath	Optional 8-color breath + automatic 8-color breath
12	Flash	Switchable 8-color flash + automatic 8-color flash




Dimension



1 : Input voltage: DC12V 2 : LED light connector

3 : Function button: Switch ON-switch mode-switch off

Wiring diagram



Application: Suitable for villa exterior walls, eaves, courtyard walls, hotel walls, building walls, lawn and other places for decorative lighting use.



Parameters

Model No.	1 String: WYWZC4-33TC	2 String: WYWZC4-33TG	3 String: WYWZC4-33TH
LEDs Specification	30LEDs/15m		36LEDs/15m
Dimension	Φ38*H15mm		
Surface Technology	White sunburst		
Remote distance	>10M		
Working Volt	DC 24V		
Power	22.5W		27W
LEDs QTY	30LEDs		36LEDs
Connection	WIFI+BLE +433		
LEDs	5050 RGB/RGBW Optional		
Beam Angle	≥90°		
IP rate	IP67		

Packing list

	30LEDs/15m	36LEDs/15m
Power adapter	1String24V/24W*1 2String24V/36W*1 3String24V/48W*1	1String24V/24W*1 2String24V/36W*1 3String24V/48W*1
433 Remote	1	1
Controller adhesive	1	1
Lights adhesive	30	36
Screws	64	76
Expansion hose	62	74
manual	1	1